EVOLUTION ELECTRIC VEHICLES, INC. has a policy of improving products continuously. All the information in this catalogue is provided for reference only. In order to insure all the information is correct, there may be changes to make according to improvements of the products at the time of printing, we reserve the rights to make corrections as well as product alterations and improvements at any time without notice. Trademarks are the property of EVOLUTION ELECTRIC VEHICLES, INC. or their respective owners.



EVOLUTION ELECTRIC VEHICLES INC

HARDY CARTS & EQUIPMENT | Rentals, Sales, Service

Mexico's exclusive dealer of Evolution Electric Vehicles

Los Cabos | Punta Mita | Playa del Carmen

+52 624 509 0018

info@hardycarts.com.mx

www.hardycarts.com.mx



EVOLUTION ELECTRIC VEHICLES INC

Corporate Offices: 2620 Palisades Drive, Corona CA 92882 Distribution Centers: Grand Prairie, TX; Orlando, FL +86-18059289489(Non -US market countries) sales@del-ev.com evolutionelectricvehicle.com D2 SERIES BROCHURE V4.0 Oct 16. 2024





2006

The factory was founded in 2006, which is located in Xinyang Xiamen, China with 60,000m² occupied area.



We passed ISO quality management system certification as well as CE certification.





2009

A head office was established in California, USA.

2016

We opened a new factory in Dongfu Town, Xiamen, China with 80,000m².





2018

The other new office was established in Florida.

2019

Set up lithium battery production workshop.





2021

New generation golf car was launched.




Warehouse established in Texas, USA.





2023

The all-new D5 series was launched



IT'S JUST WHAT YOU EXPECTED. THE FEELING OF DRIVING A BEAUTY THAT'S ACTUALLY A BEAST.

- **1** FRONT COWL
- **2** LED HEADLIGHTS
- **3** 9 INCH TOUCHSCREEN WITH BACK-UP CAMERA
- RACE CAR STYLE STEERING WHEEL
- **6** REARVIEW MIRROR
- **6** INJECTION MOULDED CANOPY
- **7** TWO-TONE LUXURY LEATHER SEATS
- LITHIUM BATTERY
- 9 14" ALLOY WHEEL RIMS WITH COLOR MATCHING INSERTS AND RADIAL DOT TIRES
- **10** FRONT BUMPER
- **1** SEAT BELTS
- **B** BOTTLE & CELL PHONE HOLDER
- **B** REAR ARMREST
- STORAGE COMPARTMENT
- **B** REAR BODY
- **16** FOLDABLE WINDSHIELD
- REAR-FACING, FLIP-FLOP SEAT KIT





FRONT VIEW



REAR VIEW



SIDE VIEW

CLASSIC SERIES





TIRE

14" Alloy wheel rims with color matching inserts and radial dot tires



9" TOUCH SCREEN

(optional)radio,music, speedometer,bluetooth, back-up camera



BATTERY

Maintenance free lithium battery. 8-year warranty















LED LIGHTS

Helping drivers see obstacles and other vehicles on the road in dark conditions



DASHBOARD

Color matched dashboard with four cup holders/cell phone holder



FLIP-FLOP SEAT

Rear-facing, flip-flop seat kits with storage compartment



CLASSIC 2



CLASSIC 2 EEC



CLASSIC 4



CLASSIC 4 PLUS

CLASSIC 2

DIMENSIONS

GENERAL

SPECIFICATION

EXTERNAL DIMENSION	2380×1400×1830mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	360kgs
MAX TOTAL MASS	560kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

DIMENSIONS

CLASSIC 2 EEC

EXTERNAL DIMENSION	2380×1400×1830mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	360kgs
MAX TOTAL MASS	560kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

GENERAL

TIRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire	TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire
SEATING CAPACITY	Two persons	SEATING CAPACITY	Two persons
TOUCHSCREEN	No Touchscreen	TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

CLASSIC 4

DIMENSIONS

EXTERNAL DIMENSION	2860×1400×1930mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	400kgs
MAX TOTAL MASS	750kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

GENERAL

14X7"Aluminum Wheel/ 215/35R14" Radial Tire
Four persons
No Touchscreen
Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
Black&Black,Silvery&Black,Apple Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	431kgs
MAX TOTAL MASS	781kgs
FRAME	E-coat and powder coate chassis
BODY	TPO injection moulding from

EXTERNAL DIMENSION | 2860×1400×1930mm

CLASSIC 4 PLUS

DIMENSIONS

GENERAL

TIRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire
SEATING CAPACITY	Four persons
TOUCHSCREEN	9" Bluetooth touchscreen (Radio, Music, Speedomete Bluetooth,Back-up camera, Car-na App connetion)
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Appl Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

CLASSIC 2







CLASSIC 4 PLUS

COLORS

STANDARD COLORS



PPG PAINTS (OPTIONAL)



LUXURY SEAT



TIRE

14X7"Aluminum Wheel/ 215/35R14* Radial Tire













10"Aluminum Wheel /205/50-10 Tire (optional)







BRUSH GUARD

Protect a car's front end and add a little toughness to its visuals



DASHBOARD

Color matched dashboard with four cup holders/cell phone holder




FLIP-FLOP SEAT

Rear-facing, flip-flop seat kits with storage compartment



TIRE

14" Alloy wheel rims with color matching inserts and silent tire with off-road thread



REAR AXLE

Experience the epitome of engineering with our rear axle



BATTERY

Maintenance free lithium battery. 8-year warranty













FORESTER 2 FORESTER 4

FORESTER 4 PLUS

FORESTER 4F

FORESTER 6

FORESTER 2

DIMENSIONS

SPECIFICATION

SYSTEM VOLTAGE

6.3kw

4-5h

400A

30%

20-40km/h

48V Lithium battery

MOTOR POWER

CHARGING TIME

CONTROLLER

MAX GRADIENT

MAX SPEED

(FULL LOAD)

FORESTER 4

FORESTER 4 PLUS

FORESTER 4F

DIMENSIONS

GENERAL

TIRE SIZE

SEATING CAPACITY

TOUCHSCREEN

AVAILABLE MODEL

AVAILABLE SEAT

COLORS

COLORS

DIMENSIONS

SPECIFICATION

SYSTEM VOLTAGE

MOTOR POWER

CHARGING TIME

CONTROLLER

MAX GRADIENT

MAX SPEED

(FULL LOAD)

EXTERNAL DIMENSION	2480×1400×2000mm	EXTERNAL DIMENSION	2960×1400×2100mm
EXTERNAL DIMERSION	2400**1400**2000******	EXTERNAL BIMEROION	2500**1400**2100******
WHEELBASE	1670mm	WHEELBASE	1670mm
FRONT WHEEL TREAD	1000mm	FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm	REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤3.5m	BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.2m	MIN TURNING RADIUS	3.2m
CURB WEIGHT	430kgs	CURB WEIGHT	469kgs
MAX TOTAL MASS	629kgs	MAX TOTAL MASS	819kgs
FRAME	E-coat and powder coated chassis	FRAME	E-coat and powder co
BODY	TPO injection moulding front cowl and rear body	BODY	TPO injection moulding cowl and rear body

DIMENSIONS

EXTERNAL DIMENSION	2960×1400×2100mm
WHEELBASE	1670mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.2m
CURB WEIGHT	475kgs
MAX TOTAL MASS	825kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body
	-

EXTERNAL DIMENSION	3280×1400×2100mm
WHEELBASE	2470mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.4m
CURB WEIGHT	460kgs
MAX TOTAL MASS	810kgs
FRAME	E-coat and powder coated chassis

TPO injection moulding front cowl and rear body

14X7"Aluminum Wheel/

road Thread

Four persons

No Touchscreen

23X10-14 Silent Tire with Off-

Candy Apple Red, White, Black,

Navy Blue, Silver, Green.

PPG> Flamenco Red, Black

Sapphire. Mediterranean Blue

Black&Black,Silvery&Black,Apple

DIMENSIONS

EXTERNAL DIMENSION	3/60×1400×2200mm
WHEELBASE	2470mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.4m
CURB WEIGHT	515kgs
MAX TOTAL MASS	1015kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

TIRE SIZE	14X7"Aluminum Wheel/ 23X10-14 Silent Tire with Off- road Thread
SEATING CAPACITY	Six persons
TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw With EM Brake
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40m/h
MAX GRADIENT (FULL LOAD)	30%
DATTEDY	49\/ Lithium hotton/

GENERAL GENERAL

	i .	· - · · · - · · · -	i .
TIRE SIZE	14X7"Aluminum Wheel/ 23X10-14 Silent Tire with Off- road Thread	TIRE SIZE	14X7"Aluminum Wheel/ 23X10-14 Silent Tire with Off- road Thread
SEATING CAPACITY	Two persons	SEATING CAPACITY	Four persons
TOUCHSCREEN	No Touchscreen	TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

		1
TIRE S	SIZE	14X7"Aluminum Wheel/ 23X10-14 Silent Tire with road Thread
SEATII	NG CAPACITY	Four persons
TOUC	HSCREEN	9" Bluetooth touchscreen (Radio, Music, Speedome Bluetooth,Back-up camera, Ca App connetion)
AVAILA COLOI	ABLE MODEL RS	Candy Apple Red, White, Bla Navy Blue, Silver, Green. PPG> Flamenco Red, Bl Sapphire, Mediterranean E Mineral White, Portimao B Arctic Gray
AVAILA	ABLE SEAT RS	Black&Black,Silvery&Black,A Red&Black

SPECIFICATION

6.3kw MOTOR POWER 6.3kw With EM Bra	
	ike
4-5h CHARGING TIME 4-5h	
400A CONTROLLER 400A	
20-40km/h MAX SPEED 20-40km/h	
30% MAX GRADIENT (FULL LOAD) 30%	
48V Lithium battery BATTERY 48V Lithium battery	/

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw With EM Brake
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

FORESTER 6

EXTERNAL DIMENSION	3760×1400×2200mm
WHEELBASE	2470mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.4m
CURB WEIGHT	515kgs
MAX TOTAL MASS	1015kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

GENERAL

TIRE SIZE	23X10-14 Silent Tire with C road Thread
SEATING CAPACITY	Six persons
TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Blac Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Ap Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw With EM Brake
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40m/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

Extreme E Dimentoron	0.0000 2200
WHEELBASE	2470mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.4m
CURB WEIGHT	515kgs
MAX TOTAL MASS	1015kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

TIRE SIZE	23X10-14 Silent Tire with Off road Thread
SEATING CAPACITY	Six persons
TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Appl Red&Black

LUXURY SEAT

COLORS

STANDARD COLORS

GREEN

SILVER

CANDY APPLE RED

PPG PAINTS (OPTIONAL)

FLAMENCO RED

MEDITERANEAN

BLUE







ARCTIC GREY

TIRE

14x7"Aluminum Wheel/23x10-14 Silent Tire with Off-road Thread











BLACK

NAVY BLUE

WHITE

BLACK

SAPPHIRE







FORESTER 4



FORESTER 4F







SAFETY HANDRAIL

When you ride, you can hold the handrail to protect your safety



SAFETY BELT

(optional) Designed to protect passengers from injury in the event of a collision or sudden braking



TIRE

14" Alloy wheel rims with color matching inserts and radial dot tires



Park









DASHBOARD

Color matched dashboard with four cup holders/cell phone holder




REAR AXLE

Experience the epitome of engineering with our rear axle.



FLIP-FLOP SEAT

Rear-facing, flip-flop seat kits with Storage compartment



Fun for the whole crew, whether cruising a vast resort or navigating bustling city streets.









CARRIER 4

CARRIER 6

CARRIER 6F

CARRIER 8

CARRIER 4

DIMENSIONS

GENERAL

EXTERNAL DIMENSION	3180×1400×1930mm
WHEELBASE	2450mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.3m
CURB WEIGHT	434kgs
MAX TOTAL MASS	784kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

DIMENSIONS

CARRIER 6

DIMENSIONS	
EXTERNAL DIMENSION	3660×1400×1930mm
WHEELBASE	2450mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.3m
CURB WEIGHT	469kgs
MAX TOTAL MASS	969kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

CARRIER 6F

DIMENSIONS

EXTERNAL DIMENSION	3980×1400×1930mm
WHEELBASE	2450mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.3m
CURB WEIGHT	469kgs
MAX TOTAL MASS	969kgs
FRAME	Hot-galvanized chassis
BODY	TPO injection moulding front cowl and rear body

CARRIER 8

DIMENSIONS

EXTERNAL DIMENSION	4460×1400×1930mm
WHEELBASE	3250mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.8m
CURB WEIGHT	544kgs
MAX TOTAL MASS	1194kgs
FRAME	Hot-galvanized chassis
BODY	TPO injection moulding front cowl and rear body

GENERAL

TRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire	TIRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire
SEATING CAPACITY	Four persons	SEATING CAPACITY	Six persons
OUCHSCREEN	No Touchscreen	TOUCHSCREEN	No Touchscreen
WAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray	AVAILABLE MODEL COLORS	Candy Apple Red, White, Blac Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
VAILABLE SEAT OLORS	Black&Black,Silvery&Black,Apple Red&Black	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Ap Red&Black

GENERAL

TIRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire
SEATING CAPACITY	Six persons
TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

TIRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire
SEATING CAPACITY	Eight persons
TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Appl Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium hattery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw With EM Brake
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw With EM Brake
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw With EM Brake
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

LUXURY SEAT

COLORS

STANDARD COLORS

GREEN

SILVER

CANDY APPLE RED

PPG PAINTS (OPTIONAL)

MEDITERANEAN

PORTIMAO BLUE







SAPPHIRE

BLACK

NAVY BLUE

WHITE

TIRE

14X7"Aluminum Wheel/ 215/35R14" Radial Tire













10"Aluminum Wheel /205/50-10 Tire (optional)





CARRIER 4




CARRIER 6





CARRIER 6F

CARRIER 8





Large capacity cargo box to help you carry more goods



GAS SPRING

Provide a controlled and smooth motion for easy unloading of cargo



TOWING HOOK

Designed to eliminate the need for external towing services.



BRUSH GUARD

Our heavy duty brush guard pushes aside debris and absorb its impact.



TOGGLE CLAMP

It is used to quickly flx and unload automobile parts. It has a stable structure and strong gripping force.



TIRE

Engineered to meet various conditions, our golf cart lithium batteries are built to last.









TURFMAN 700



TURFMAN 700 EEC



TURFMAN 1000

TURFMAN 450

L	JIMENSIONS
	EXTERNAL DIMENSION
	WHEELDAGE

GENERAL

EXTERNAL DIMENSION	2700×1400×1830mm	
WHEELBASE	1650mm	
FRONT WHEEL TREAD	880mm	
REAR WHEEL TREAD	980mm	
BRAKING DISTANCE	≤3.5m	
MIN TURNING RADIUS	3.1m	
CURB WEIGHT	399kgs	
MAX TOTAL MASS	749kgs	
FRAME	E-coat and powder coated chassis	
BODY	TPO injection moulding front cowl and rear body	

DIMENSIONS

TURFMAN 700

EXTERNAL DIMENSION	3000×1400×2000mm
WHEELBASE	1890mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	3.6m
CURB WEIGHT	445kgs
MAX TOTAL MASS	895kgs
FRAME	E-coat and powder coate chassis
BODY	TPO injection moulding from cowl and aluminum rear body

GENERAL

TIRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire	TIRE SIZE	14X7"Aluminum Wheel/ 23X10-14 Silent Tire with C road Thread
SEATING CAPACITY	Two persons	SEATING CAPACITY	Two persons
TOUCHSCREEN	No Touchscreen	TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray	AVAILABLE MODEL COLORS	Candy Apple Red, White, Blac Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Ap Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

REAR WHELE HALAD	102011111
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	3.6m
CURB WEIGHT	445kgs
MAX TOTAL MASS	895kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and aluminum rear body

Vheel/ re with Off-	TIRE SIZE
	SEATING CAP
	TOUCHSCREE
hite, Black, en. , Black ean Blue, ao Blue,	AVAILABLE MO COLORS
&Black,Apple	AVAILABLE SE

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw With EM Brake
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

TURFMAN 700 EEC

DIMENSIONS

EXTERNAL DIMENSION	3000×1400×2000mm
WHEELBASE	1890mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	3.6m
CURB WEIGHT	465kgs
MAX TOTAL MASS	915kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and aluminum rear body

GENERAL

TIRE SIZE	12X7" Aluminum Wheel/ 225B/12 Tire
SEATING CAPACITY	Two persons
TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

TURFMAN 1000

DIMENSIONS

EXTERNAL DIMENSION	3330×1400×1830mm
WHEELBASE	2450mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.3m
CURB WEIGHT	440kgs
MAX TOTAL MASS	940kgs
FRAME	E-coat and powder coate chassis
BODY	TPO injection moulding fron cowl and aluminum rear body

GENERAL

TIRE SIZE	10" Steel Wheel/205/65R10 Tire
SEATING CAPACITY	Two persons
TOUCHSCREEN	No Touchscreen
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,App Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw With EM Brake
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

COLORS

STANDARD COLORS



PPG PAINTS (OPTIONAL)



TIRE

14X7"Aluminum Wheel/ 215/35R14" Radial Tire



14x7"Aluminum Wheel/ 23x10-14 Silent Tire with Off-road Thread



10" Steel Wheel/205/ 65R10 Tire



12X7" Aluminum Wheel/ 225B/12 Tire



LUXURY SEAT













TURFMAN 700 EEC



TURFMAN 1000



27.1*13.7*8.9in

Continuous charge current

Continuous discharge current

Max pulse discharge current

Standard charging time

≤70A

105A

200A (20 sec)

4-5h

400A (20 sec)

6-8h

Dimension(L*W*H)

21.6*13.9*9.1in

L series products are lithium-ion battery packs with integrated golf cart battery system. They are designed to replace the lead-acid batteries, which are available for drop-in replacement in golf carts easily. The benefits of lithium-ion battery include lighter weight, shorter charging time, longer life, free maintenance and to save much electricity bill for you. Our battery has an integrated management system which includes an On/Off switch ≤80A Casing material Steel with rust-resistant coating Steel with rust-resistant coating 160A 95.9 lbs(43.5kg) 146.8lbs(66.6kg)

and a state-of-charge(SOC) gauge.

ALL LED LIGHTING











Beam At The Darkness! Eco-Friendly. Cost-efficient. Long Lasting. Hassle-free.



