
EVOLUTION ELECTRIC VEHICLES, INC. has a policy of improving products continuously. All the information in this catalogue is provided for reference only. In order to insure all the information is correct, there may be changes to make according to improvements of the products at the time of printing, we reserve the rights to make corrections as well as product alterations and improvements at any time without notice. Trademarks are the property of EVOLUTION ELECTRIC VEHICLES, INC. or their respective owners.



HARDY CARTS & EQUIPMENT | Rentals, Sales, Service Mexico's exclusive dealer of Evolution Electric Vehicles

Carretera Transpeninsular KM 24.2 Bv. Cerro Colorado, Koral Center - Local 8 C.P. 23405 San Jose del Cabo, B.C.S.

+52 624 509 0018 info@hardycarts.com.mx www.hardycarts.com.mx



2007

2009

2016

2018

2019

2021

The factory was founded in 2006, which is located in Xinyang Xiamen,China with 60,000m occupied We passed ISO quality management system certification as well as CE certification.

A branch office was established in California, USA.

We opened a new factory in The other new office Dongfu Town, Xiamen, China was established in with 80,000 m². Florida.

Set up lithium battery production car was launched.

New generation golf










CLASSIC SERIES





9" TOUCH SCREEN (RADIO,MUSIC,SPEEDOMETER,BLUETOOTH, BACK-UP CAMERA, CAR APP CONNECTION)



COLOR MATCHED DASHBOARD WITH FOUR CUP HOLDERS/CELL PHONE HOLDER




14" ALLOY WHEEL RIMS WITH COLOR MATCHING INSERTS AND RADIAL DOT TIRES



REAR-FACING, FLIP-FLOP SEAT KITS WITH STORAGE COMPARTMENT



STEREO SYSTEM TWO USB
CONNECTIONS



OPTIONAL GOLF BAG HOLDER KIT



CLASSIC 2


CLASSIC 2 EEC



CLASSIC 4 CLASSIC 4 PLUS







FORESTER SERIES

OPTIONAL COLORS GREEN BLACK SILVER NAVY BLUE CANDY APPLE RED



FLAMENCO RED

WHITE

BLACK SAPPHIRE MEDITERRANEAN BLUE





STEERING WHEEL



9" TOUCH SCREEN (RADIO, MUSIC, SPEEDOMETER, BLUETOOTH, BACK-UP CAMERA, CAR APP CONNECTION)



COLOR MATCHED DASHBOARD WITH FOUR 14" ALLOY WHEEL RIMS WITH CUP HOLDERS/CELL PHONE HOLDER



COLOR MATCHING INSERTS AND OFF ROAD TIRES



HEAVY DUTY BRUSH GUARD



STEREO SYSTEM



TWO USB **CONNECTIONS**



REAR-FACING, FLIP-FLOP SEAT KITS WITH STORAGE COMPARTMENT





FORESTER 4








FORESTER 6





COLOR MATCHED DASHBOARD WITH FOUR CUP HOLDERS/CELL PHONE HOLDER



STEERING WHEEL

REAR-FACING, FLIP-FLOP SEAT KITS WITH STORAGE COMPARTMENT



TWO USB CONNECTIONS







CARRIER 8





TURFMAN SERIES



HEAVY DUTY BRUSH GUARD



REVERSIBLE ALUMINUM CARGO BOX (SIZE VARIES BETWEEN MODELS)



ELECTRIC TIPPER & TOWING HOOK (OPTIONAL)









TURFMAN 700

TURFMAN 700 EEC TURFMAN 1000





100A

3C(30s)

1-2h

Dimension(L*W*H)

13.5*12.8*9.4in 27.2*13.8*5.9in 21.0*13.8*9.8in 27.1*13.7*8.9in

Continuous discharge current

Maximum discharge current

Quick charging time

Standard charging time

L series products are lithium-ion battery packs with integrated golf cart battery system. They are designed to replace the lead-acid batteries, which are available for drop-in replacement in golf carts easily.

The benefits of lithium-ion battery include lighter weight, shorter charging time, longer life, free maintenance and to save much electricity bill for you. Our battery has an integrated management system which includes an On/Off switch and a state-of-charge(SOC) gauge.



All LED LIGHTING.











Beam At The Darkness! Eco-Friendly .Cost-efficient.Long Lasting.Hassle-free.



SPECIFICATIONS

CLASSIC 2

DIMENSIONS

EXTERNAL DIMENSION	2380×1400×1830mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	360kgs
MAX TOTAL MASS	560kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

CLASSIC 2 EEC

DIMENSIONS

EXTERNAL DIMENSION	2380×1400×1830mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	360kgs
MAX TOTAL MASS	560kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

CLASSIC 4

DIMENSIONS

EXTERNAL DIMENSION	2860×1400×1930mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	400kgs
MAX TOTAL MASS	750kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

CLASSIC 4 PLUS

DIMENSIONS

EXTERNAL DIMENSION	2860×1400×1930mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	431kgs
MAX TOTAL MASS	781kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

NAL DIMENSION	2860×1400×1930mm
BASE	1650mm
WHEEL TREAD	880mm
VHEEL TREAD	980mm
IG DISTANCE	≤3.5m
RNING RADIUS	3.1m
VEIGHT	431kgs
TAL MASS	781kgs
	E-coat and powder coated chassis
	TPO injection moulding front cowl and rear body

FORESTER 2

DIMENSIONS

EXTERNAL DIMENSION	2480×1400×2000mm
WHEELBASE	1670mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.2m
CURB WEIGHT	430kgs
MAX TOTAL MASS	629kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

FORESTER 4

DIMENSIONS

EXTERNAL DIMENSION	2960×1400×2100mm
WHEELBASE	1670mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.2m
CURB WEIGHT	469kgs
MAX TOTAL MASS	819kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

FORESTER 4 PLUS

DIMENSIONS

EXTERNAL DIMENSION	2960×1400×2100mm
WHEELBASE	1670mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.2m
CURB WEIGHT	475kgs
MAX TOTAL MASS	825kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding from cowl and rear body

FORESTER 4F

DIMENSIONS

EXTERNAL DIMENSION	3280×1400×1930mm
WHEELBASE	2470mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.4m
CURB WEIGHT	460kgs
MAX TOTAL MASS	810kgs
FRAME	E-coat and powder coat chassis
BODY	TPO injection moulding fro

GENERAL

	TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire
	SEATING CAPACITY	Two persons
	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

	TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire
	SEATING CAPACITY	Two persons
	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG - Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
-	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire
SEATING CAPACITY	Four persons
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

TIRE SIZE	215/35R14" Radial Tire
SEATING CAPACITY	Four persons
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,App Red&Black
	SEATING CAPACITY AVAILABLE MODEL COLORS AVAILABLE SEAT

GENERAL

	TIRE SIZE	14X7"Aluminum Wheel/ 23X10-14 Off road Tire
	SEATING CAPACITY	Two persons
	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Blac Sapphire, Mediterranean Blue Mineral White, Portimao Blue Arctic Gray
	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

	TIRE SIZE	23X10-14 Off road Tire
	SEATING CAPACITY	Four persons
	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Blact Sapphire, Mediterranean Blue Mineral White, Portimao Blue Arctic Gray
	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

TIRE SIZE	14X7"Aluminum Wheel/ 23X10-14 Off road Tire
SEATING CAPACITY	Four persons
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

	TIRE SIZE	14X7"Aluminum Wheel/ 23X10-14 Off road Tire
	SEATING CAPACITY	Four persons
	AVAILABLE MODEL COLORS	Candy Apple Red, White, Blac Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue Mineral White, Portimao Blue, Arctic Gray
	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Ap Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
DATTEDV	100ALI Lithium botton

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	100AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT FULL LOAD)	30%
BATTERY	100AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	110AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	100AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	100AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
RATTERY	110AH Lithium hattery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	110AH Lithium battery



CLASSIC 2



CLASSIC 2 EEC



CLASSIC 4



CLASSIC 4 PLUS







FORESTER 4 PLUS



FORESTER 4F

SPECIFICATIONS

FORETSTER 6

DIMENSIONS

EXTERNAL DIMENSION	3760×1400×2200mm
WHEELBASE	2470mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.4m
CURB WEIGHT	515kgs
MAX TOTAL MASS	1015kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

CARRIER 4

DIMENSIONS

EXTERNAL DIMENSION	3180×1400×1930mm
WHEELBASE	2450mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.3m
CURB WEIGHT	434kgs
MAX TOTAL MASS	784kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

CARRIER 6

DIMENSIONS

EXTERNAL DIMENSION	3660×1400×1930mm	
WHEELBASE	2450mm	
FRONT WHEEL TREAD	880mm	
REAR WHEEL TREAD	980mm	
BRAKING DISTANCE	≤4m	
MIN TURNING RADIUS	4.3m	
CURB WEIGHT	469kgs	
MAX TOTAL MASS	969kgs	
FRAME	E-coat and powder coated chassis	
BODY	TPO injection moulding front cowl and rear body	
	-	

CARRIER 8

DIMENSIONS

EXTERNAL DIMENSION	4460×1400×1930mm
WHEELBASE	3250mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	4.8m
CURB WEIGHT	544kgs
MAX TOTAL MASS	1194kgs
FRAME	Hot-galvanized chassis
BODY	TPO injection moulding front cowl and rear body

TURFMAN 450

DIMENSIONS

EXTERNAL DIMENSION	2700×1400×1830mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	399kgs
MAX TOTAL MASS	749kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body

TURFMAN 700

DIMENSIONS

EXTERNAL DIMENSION	3000×1400×2000mm
WHEELBASE	1890mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	3.6m
CURB WEIGHT	445kgs
MAX TOTAL MASS	895kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and aluminum rear body

TURFMAN 700 EEC

DIMENSIONS

EXTERNAL DIMENSION	3000×1400×2000mm
WHEELBASE	1890mm
FRONT WHEEL TREAD	1000mm
REAR WHEEL TREAD	1025mm
BRAKING DISTANCE	≤4m
MIN TURNING RADIUS	3.6m
CURB WEIGHT	465kgs
MAX TOTAL MASS	915kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and aluminum rear body

TURFMAN 1000

DIMENSIONS		
	EXTERNAL DIMENSION	3330×1400×1830mm
	WHEELBASE	2450mm
	FRONT WHEEL TREAD	880mm
	REAR WHEEL TREAD	980mm
	BRAKING DISTANCE	≤4m
	MIN TURNING RADIUS	4.3m
	CURB WEIGHT	440kgs
	MAX TOTAL MASS	940kgs
	FRAME	E-coat and powder coat chassis
	BODY	TPO injection moulding fro

GENERAL

	TIRE SIZE	14X7"Aluminum Wheel/ 23X10-14 Off road Tire
	SEATING CAPACITY	Six persons
	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

	TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire
	SEATING CAPACITY	Four persons
	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray	
	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black
		SEATING CAPACITY AVAILABLE MODEL COLORS AVAILABLE SEAT

GENERAL

	TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire
	SEATING CAPACITY	Six persons
	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

TIRE SIZE	10" Aluminum Wheel/205/50 10 Tire
SEATING CAPACITY	Eight persons
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Appl Red&Black

GENERAL

TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPGS Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

TIRE SIZE	23X10-14 Off road Tire
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPGS Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

GENERAL

TIRE SIZE	225B/12 Tire
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black Navy Blue, Silver, Green. PPG> Flamenco Red, Black Spaphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,App Red&Black

GENERAL

TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40m/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	110AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	100AH Lithium battery

SPECIFICATION

YSTEM VOLTAGE	48V
NOTOR POWER	6.3kw
HARGING TIME	4-5h
ONTROLLER	400A
IAX SPEED	20-40km/h
MAX GRADIENT FULL LOAD)	30%
ATTERY	100AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	110AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	100AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	110AH Lithium battery

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	6.3kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	110AH Lithium battery

SPECIFICATION

48V
6.3kw
4-5h
400A
20-40km/h
30%
110AH Lithium battery

















TURFMAN 450 TURFMAN 700

FORESTER 6

CARRIER 4

CARRIER 6

TURFMAN 700 EEC

TURFMAN 1000